Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"5894506".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 11:17
L2	33	(PCM) same (voice audio) same (append$5 attach$5) same (message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 13:12
L3	10	("5333266" \| "5479411" \| "5557659" \| "5568540" \| "5604737" \| "5608786" \| "5726984" \| "5742596" \| "5764901" \| "6091721").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/13 13:03
L4	3	"709"/$.ccls. and (PCM) same (voice audio) same (append$5 attach$5) same (message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 13:12
S1	0	(multimedia adj server) and (call adj server) and (message adj server) and (PBX) and (web adj server) and (proxy adj server) and (UNISTIM) and (XML) and (HTML) and ((prerecorded presepecified predetermined) near5 (message mail voicemail signal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 11:05
S2	0	(multimedia adj server) and (call adj server) and (message adj server) and (PBX) and (web adj server) and (proxy adj server) and (UNISTIM) and (XML) and (HTML)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/05 16:55
S3	0	(multimedia adj server) and (call adj server) and (message adj server) and (PBX) and (web adj server) and (proxy adj server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/05 16:56
S4	2	(multimedia adj server) and (call adj server) and (message adj server) and (PBX)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/05 17:00
S5	2	(multimedia adj server) and (call adj server) and (message adj server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/05 17:00
S6	58	(call adj server) and (message adj server) and (PBX)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/05 17:00
S7	0	(call adj server) and (message adj server) and (PBX) and (web adj server) and (proxy adj server) and (UNISTIM) and (XML) and (HTML) and ((prerecorded presepecified predetermined) near5 (message mail voicemail signal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/05 17:00
S8	0	(call adj server) and (message adj server) and (PBX) and (web adj server) and (proxy adj server) and (UNISTIM)and ((prerecorded presepecified predetermined) near5 (message mail voicemail signal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/05 17:01
S9	297916	((prerecorded presepecified predetermined) near5 (message mail voicemail signal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/28 14:57

S10	298216	((prerecorded prespecified predetermined) near5 (message mail voicemail signal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/05 17:01
S11	2	(multimedia adj server) and (call adj server) and (message adj server) and (PBX) and ((prerecorded presepecified predetermined) near5 (message mail voicemail signal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/05 17:02
S12	2	(multimedia adj server) and (call adj server) and (message adj server) and (PBX) and ((prerecorded prespecified predetermined) near5 (message mail voicemail signal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/05 17:03
S13	8	(call adj server) and (message adj server) and (PBX) and ((prerecorded prespecified predetermined) near5 (message mail voicemail signal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/05 17:03
S14	2247	709/206,207.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/06 10:31
S15	1299	709/206,207.ccls. and ((messaging message route) near10 (server manager))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/06 16:34
S16	446	709/206,207.ccls. and ((prespecified predefined predetermined) near5 message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/06 16:41
S17	12	Form adj route adj manager	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/06 10:34
S18	339	(709/206,207.ccls. and ((messaging message route) near10 (server manager))) and (709/206,207.ccls. and ((prespecified predefined predetermined) near5 message))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/06 10:58
S19	1	(10/616100) and (cook)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/06 11:55
S20	0	09/645832) AND(aDLER	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/06 11:56
S21	0	(09/645832)and (Adler)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/06 11:56
S22	2	"6157630".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/06 11:57

S23	1	"6157630".pn. and ((709/206,207.ccls. and ((messaging message route) near10 (server manager))) and (709/206,207.ccls. and ((prespecified predefined predetermined) near5 message)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/06 11:57
S24	33	709/206,207.ccls. and ((prespecified predefined) adj2 message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 12:34
S25	862	709/206,207.ccls. and ((messaging message route) near2 (server manager))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/06 13:01
S26	827	709/206,207.ccls. and ((messaging message) near2 (server manager))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/06 16:21
S27	23	(709/206,207.ccls. and ((messaging message) near2 (server manager))) and (709/206,207.ccls. and ((prespecified predefined) adj2 message))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/06 13:02
S28	818	((messaging message) near2 (server manager)) same (prompt$5 ask$5 presepcified predesigned)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/06 16:23
S29	265	((messaging message) adj (server manager)) same (prompt$5 ask$5 presepcified predesigned)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/06 16:23
S30	70	((messaging message) adj (server manager)) near10 (prompt$5 ask$5 presepcified predesigned)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/06 16:23
S31	387	709/206,207.ccls. and ((messaging message) adj (server manager))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/06 16:35
S32	0	709/206,207.ccls. and (((messaging message) adj (server manager)) same (prespecified prerecorded))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/06 16:36
S33	0	709/206,207.ccls. and (((messaging message) adj (server manager)) near5 (prespecified prerecorded))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/06 16:36
S34	13	709/206,207.ccls. and (((messaging message) adj (server manager)) and (prespecified prerecorded))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/06 16:36
S35	3	prespecified adj message	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/06 16:41

S36	2	"6678720".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/10 09:18
S37	2	"6385306".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/10 09:18
S38	31361	(messag$5) near5 (server proxy gateway)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/28 17:07
S39	7697	(messag$5)adj (server proxy gateway)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/28 14:56
S40	1231	((messag$5)adj (server proxy gateway)) and ((prerecorded presepecified predetermined preprogrammed) near5 (message mail voicemail signal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/28 15:49
S41	193	((messag$5)adj (server proxy gateway)) and ((prerecorded presepecified predetermined preprogrammed) adj (message mail voicemail signal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/28 17:07
S42	185	(((messag$5)adj (server proxy gateway)) and ((prerecorded presepecified predetermined preprogrammed) adj (message mail voicemail signal))) and (append$5 attach$5 stick$5 provid$5 supply$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/28 15:01
S43	140	(((messag$5)adj (server proxy gateway)) and ((prerecorded presepecified predetermined preprogrammed) adj (message mail voicemail signal))) and (append$5 attach$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/28 15:01
S44	114	(((messag$5)adj (server proxy gateway)) and ((prerecorded presepecified predetermined preprogrammed) adj (message mail voicemail signal))) and (append$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/28 15:01
S45	87	((messag$5)adj (server proxy gateway)) and ((prerecorded prespecified preprogrammed) near5 (message))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/28 16:51
S46	2	"6157630".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/28 16:51
S47	0	((messag$5)adj (server proxy gateway)) and (select$5 choos$5 prefer$5 determin$5) near5 (prerecorded presepecified preprogrammed) near5 (message) near10 (attach$5 append$5 enclos$5) near10 ((voice audio email) adj (message mail))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/28 16:54
S48	0	((messag$5) near5 (server proxy gateway)) and (select$5 choos$5 prefer$5 determin$5) near5 (prerecorded presepecified preprogrammed) near5 (message) near10 (attach$5 append$5 enclos$5) near10 ((voice audio email) adj (message mail))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 07:33

S49	0	(select$5 choos$5 prefer$5 determin$5) near5 (prerecorded presepecified preprogrammed) near5 (message) near10 (attach$5 append$5 enclos$5) near10 ((voice audio email) adj (message mail))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/28 16:56
S50	0	(select$5 choos$5 prefer$5 determin$5) near5 (prerecorded presepecified preprogrammed) near5 (greet$5) near10 (attach$5 append$5 enclos$5) near10 ((voice audio email) adj (message mail))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/28 17:06
S51	0	(select$5 choos$5 prefer$5 determin$5) near5 (prerecorded presepecified preprogrammed) near5 (prompt$5) near10 (attach$5 append$5 enclos$5) near10 ((voice audio email) adj (message mail))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/28 16:56
S52	0	(select$5 choos$5 prefer$5 determin$5) near5 (prerecorded presepecified preprogrammed) near5 (prompt$5) near10 (attach$5 append$5 enclos$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/28 16:56
S53	2	(select$5 choos$5 prefer$5 determin$5) near5 (prerecorded presepecified preprogrammed) near5 (message) near10 (attach$5 append$5 enclos$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/28 16:57
S54	0	(select$5 choos$5 prefer$5 determin$5) near5 (prerecorded presepecified preprogrammed) near5 (greet$5) near10 (attach$5 append$5 enclos$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/28 16:57
S55	1	(select$5 choos$5 prefer$5 determin$5) near5 (prerecorded presepecified preprogrammed) near5 (record$5) near10 (attach$5 append$5 enclos$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/28 16:58
S56	0	(select$5 choos$5 prefer$5 determin$5) near5 (prerecorded presepecified preprogrammed) near5 (manu) near10 (attach$5 append$5 enclos$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/28 16:58
S57	0	(select$5 choos$5 prefer$5 determin$5) near5 (prerecorded presepecified preprogrammed) near5 (command) near10 (attach$5 append$5 enclos$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/28 16:58
S58	0	"709"/$.ccls. and (select$5 choos$5 prefer$5 determin$5) near5 (prerecorded presepecified preprogrammed) near5 (greet$5) near10 (attach$5 append$5 enclos$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/28 17:07
S59	7919	"709"/$.ccls.and (messag$5) near5 (server proxy gateway)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/28 17:07
S60	168	("709"/$.ccls.and (messag$5) near5 (server proxy gateway)) and (prerecorded presepecified predetermined preprogrammed) adj (message code greeting prompt)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/28 17:08
S61	56	((messag$5) near5 (server proxy gateway)) and (select$5 choos$5 prefer$5 determin$5) near10 (message prompt code greeting) near10 (attach$5 append$5 enclos$5) near10 ((voice audio email) adj (message mail))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 09:10

S62	2	"6678720".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 10:31
S63	2	"6385305".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/29 10:24
S64	2	"6385306".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 10:32
S66	108	(send$5) near5 ((prespecified predefined) adj2 message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 12:35
S67	110	((prespecified predefined prerecord$5) adj2 message) near3 (store database server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 12:35
S68	269	(send$5) near5 ((prespecified predefined prerecord$5) adj2 message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 12:36
S69	295	(send$5 trigger$5 invok$5) near5 ((prespecified predefined prerecord$5) adj2 message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 12:41
S70	8	(send$5 trigger$5 invok$5) near5 ((prespecified predefined prerecord$5) adj2 message) and S67	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 12:36
S71	16	(user client) near4 (send$5 trigger$5 invok$5) near5 ((prespecified predefined prerecord$5) adj2 message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 12:51
S72	0	(user client) near4 (send$5 trigger$5 invok$5) near5 ((prespecified predefined prerecord$5) adj2 message) near10 (mail emaile-mail) near5 (box server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 12:52
S73	1	(send$5 trigger$5 invok$5) near5 ((prespecified predefined prerecord$5) adj2 message) near10 (mail emaile-mail) near5 (box server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 12:53
S74	2	"6678720".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 12:54
S75	8	("20020186244" \| "5916302" \| "5987503" \| "6038296" \| "6167426" \| "6366948" \| "6446130" \| "6484196").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/31 14:39
S76	585	(SONGadvertisement ad (station adj identification)) NEAR3 ("5" "7" "9" "10" "11" "12" "13" "14" "15") near3 (sec second seconds)	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/31 14:41

S77	948	(song advertisement ad (station adj identification)) NEAR3 ("5" "7" "9" "10" "11" "12" "13" "14" "15") near3 (second seconds "min." minute minutes)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 14:43
S78	167	(song advertisement ad (station adj identification)) adj2 ("5" "7" "9" "10" "11" "12" "13" "14" "15") adj2 ("sec." second seconds "min." minute minutes)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 14:43
S79	2	"6385306".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/29 10:34
S80	2	"5894506".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/29 10:34